

USSN 10/564,229 filed 2 October 2006  
Attorney Docket No.: 1103326-0902  
Page 2 of 13

RECEIVED  
CENTRAL FAX CENTER

APR 16 2009

### AMENDMENT TO THE CLAIMS

**This listing of claims will replace all prior versions, and listings, of claims in the application:**

1. (Currently amended) A method for the treatment of gastrointestinal disorders comprising the oral administration of an aqueous suspension via a gastric tube or syringe to a pediatric patient in need of such treatment, wherein the aqueous suspension comprises (a) ~~an aqueous carrier and~~ (b) a solid composition dispersed in an aqueous carrier, and wherein the solid composition comprises ~~comprising~~ a therapeutically effective amount of an acid labile proton pump inhibitor ~~compound~~ in the form of a multiple of enteric coating layered pellets in admixture with ~~at least~~ one or more pharmaceutically acceptable thickeners ~~which forms a viscous medium when dispersed in the aqueous carrier.~~
2. (Previously presented) The method according to claim 1, wherein the thickener is selected from the group consisting of starch, xanthan gum, carrageenan, guar gum, locust bean gum, tragacanth, gelatin, pectin, modified cellulose derivatives and combinations thereof.
3. (Original) The method according to claim 1, wherein the thickener is selected from starch and xanthan gum.
4. (Previously presented) The method according to claim 1, wherein the solid composition further comprises one or more pharmaceutically acceptable additives selected from the group consisting of flavouring agents, colour agents and sweetening agents.
5. (Currently amended) A method for the treatment of gastrointestinal disorders comprising the oral administration of an aqueous suspension via a gastric tube or syringe to a pediatric patient in need of such treatment, wherein the aqueous suspension comprises [(a)] a therapeutically effective amount of an acid labile proton pump inhibitor dispersed in ~~compound in the form of a multiple of enteric coating layered pellets and~~ (b) a pharmaceutically acceptable viscous aqueous medium, and wherein the acid labile proton pump inhibitor is in the form of a multiple of

USSN 10/564,229 filed 2 October 2006  
Attorney Docket No.: 1103326-0902  
Page 3 of 13

RECEIVED  
CENTRAL FAX CENTER  
APR 16 2009

enteric coating layered pellets are dispersed in the viscous aqueous medium to form the aqueous suspension.

6. (Withdrawn) The method according to claim 5, wherein the viscous aqueous medium is selected from the group consisting of yoghurt, sour milk, and syrup.
7. (Withdrawn) The method according to claim 5, wherein the viscous aqueous medium is a sugar syrup with a sugar content of at least 63% by weight.
8. (Previously presented) The method according to claim 1 or 5, wherein the viscosity of the aqueous suspension is in the range of from 0.005 to 10 Pa s, as determined at a shear rate of  $10 \text{ s}^{-1}$  from a flow-curve recorded on a rheometer equipped with a plate-plate geometry.
9. (Previously presented) The method according to claim 1 or 5, wherein the viscosity of the aqueous suspension is in the range of from 0.05 to 5 Pa s, as determined at a shear rate of  $10 \text{ s}^{-1}$  from a flow-curve recorded on a rheometer equipped with a plate-plate geometry.
10. (Previously presented) The method according to claim 1 or 5, wherein the gastric tube has a size in the range of from CH 5 to CH 10 (CH= Cherrier).
11. (Previously presented) The method according to claim 1 or 5, wherein the gastric tube has a size in the range of from CH10 to CH20 (CH= Cherrier).
12. (Previously presented) The method according to claim 1 or 5, wherein the proton pump inhibitor compound is selected from the group consisting of omeprazole, lansoprazole, pantoprazole, rabeprazole, tenatoprazole, esomeprazole and a pharmaceutically acceptable salt thereof.

USSN 10/564,229 filed 2 October 2006  
Attorney Docket No.: 1103326-0902  
Page 4 of 13

13. (Previously presented) The method according to claim 1 or 5, wherein the amount of proton pump inhibitor compound that is administered is in the range from 1 to 100 mg.

14. (Withdrawn) The method according to claim 1, wherein the aqueous carrier is selected from the group consisting of water, fruit juice, syrup and dairy products.

15. (Previously presented) The method according to claim 1, wherein the amount of aqueous carrier is in the range from 1 to 35 mL.

16. (Currently amended) A pharmaceutical formulation for oral administration through a gastric tube to a pediatric patient, wherein the pharmaceutical formulation is in the form of an aqueous dispersion comprising a solid composition dispersed in an aqueous carrier, and wherein the solid composition comprises ~~comprising~~ a proton pump inhibitor compound in the form of a multiple of enteric coating layered pellets, ~~wherein the pellets are in admixture with one or more~~ pharmaceutically acceptable ~~thickeners capable of forming a viscous suspension when dispersed in an aqueous carrier.~~

17. (Previously presented) The composition according to claim 16, wherein the enteric coated pellets are spherical and have a diameter of less than 1 mm.

18. (Previously presented) The composition according to claim 16, wherein the enteric coated pellets are spherical and have a diameter of less than 0.5 mm.

Claim 19 (Canceled)

Claim 20 (Canceled)